

NAME

xcb_randr_get_output_info -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_randr_get_output_info_cookie_t xcb_randr_get_output_info(xcb_connection_t *conn,
    xcb_randr_output_t output, xcb_timestamp_t config_timestamp);
```

Reply datastructure

```
typedef struct xcb_randr_get_output_info_reply_t {
    uint8_t    response_type;
    uint8_t    status;
    uint16_t   sequence;
    uint32_t   length;
    xcb_timestamp_t timestamp;
    xcb_randr_crtc_t crtc;
    uint32_t   mm_width;
    uint32_t   mm_height;
    uint8_t    connection;
    uint8_t    subpixel_order;
    uint16_t   num_crtcs;
    uint16_t   num_modes;
    uint16_t   num_preferred;
    uint16_t   num_clones;
    uint16_t   name_len;
} xcb_randr_get_output_info_reply_t;
```

Reply function

```
xcb_randr_get_output_info_reply_t *xcb_randr_get_output_info_reply(xcb_connection_t *conn,
    xcb_randr_get_output_info_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
xcb_randr_crtc_t *xcb_randr_get_output_info_crtcs(const xcb_randr_get_output_info_request_t
    *reply);
```

```
int xcb_randr_get_output_info_crtcs_length(const xcb_randr_get_output_info_reply_t *reply);
```

```

xcb_generic_iterator_t xcb_randr_get_output_info_crtcs_end(const
    xcb_randr_get_output_info_reply_t *reply);

xcb_randr_mode_t *xcb_randr_get_output_info_modes(const xcb_randr_get_output_info_request_t
    *reply);

int xcb_randr_get_output_info_modes_length(const xcb_randr_get_output_info_reply_t *reply);

xcb_generic_iterator_t xcb_randr_get_output_info_modes_end(const
    xcb_randr_get_output_info_reply_t *reply);

xcb_randr_output_t *xcb_randr_get_output_info_clones(const xcb_randr_get_output_info_request_t
    *reply);

int xcb_randr_get_output_info_clones_length(const xcb_randr_get_output_info_reply_t *reply);

xcb_generic_iterator_t xcb_randr_get_output_info_clones_end(const
    xcb_randr_get_output_info_reply_t *reply);

uint8_t *xcb_randr_get_output_info_name(const xcb_randr_get_output_info_request_t *reply);

int xcb_randr_get_output_info_name_length(const xcb_randr_get_output_info_reply_t *reply);

xcb_generic_iterator_t xcb_randr_get_output_info_name_end(const
    xcb_randr_get_output_info_reply_t *reply);

```

REQUEST ARGUMENTS

conn The XCB connection to X11.

output TODO: NOT YET DOCUMENTED.

config_timestamp
 TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_RANDR_GET_OUTPUT_INFO*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

| | |
|-----------------------|--|
| <i>length</i> | The length of the reply, in words (a word is 4 bytes). |
| <i>status</i> | TODO: NOT YET DOCUMENTED. |
| <i>timestamp</i> | TODO: NOT YET DOCUMENTED. |
| <i>crtc</i> | TODO: NOT YET DOCUMENTED. |
| <i>mm_width</i> | TODO: NOT YET DOCUMENTED. |
| <i>mm_height</i> | TODO: NOT YET DOCUMENTED. |
| <i>connection</i> | TODO: NOT YET DOCUMENTED. |
| <i>subpixel_order</i> | TODO: NOT YET DOCUMENTED. |
| <i>num_crtcs</i> | TODO: NOT YET DOCUMENTED. |
| <i>num_modes</i> | TODO: NOT YET DOCUMENTED. |
| <i>num_preferred</i> | TODO: NOT YET DOCUMENTED. |
| <i>num_clones</i> | TODO: NOT YET DOCUMENTED. |
| <i>name_len</i> | TODO: NOT YET DOCUMENTED. |

DESCRIPTION

RETURN VALUE

Returns an *xcb_randr_get_output_info_cookie_t*. Errors have to be handled when calling the reply function *xcb_randr_get_output_info_reply*.

If you want to handle errors in the event loop instead, use *xcb_randr_get_output_info_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.