

NAME

xcb_randr_get_panning -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_randr_get_panning_cookie_t xcb_randr_get_panning(xcb_connection_t *conn,
    xcb_randr_crtc_t crtc);
```

Reply datastructure

```
typedef struct xcb_randr_get_panning_reply_t {
    uint8_t    response_type;
    uint8_t    status;
    uint16_t   sequence;
    uint32_t   length;
    xcb_timestamp_t timestamp;
    uint16_t   left;
    uint16_t   top;
    uint16_t   width;
    uint16_t   height;
    uint16_t   track_left;
    uint16_t   track_top;
    uint16_t   track_width;
    uint16_t   track_height;
    int16_t    border_left;
    int16_t    border_top;
    int16_t    border_right;
    int16_t    border_bottom;
} xcb_randr_get_panning_reply_t;
```

Reply function

```
xcb_randr_get_panning_reply_t *xcb_randr_get_panning_reply(xcb_connection_t *conn,
    xcb_randr_get_panning_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

crtc TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_RANDR_GET_PANNING*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

status TODO: NOT YET DOCUMENTED.

timestamp TODO: NOT YET DOCUMENTED.

left TODO: NOT YET DOCUMENTED.

top TODO: NOT YET DOCUMENTED.

width TODO: NOT YET DOCUMENTED.

height TODO: NOT YET DOCUMENTED.

track_left TODO: NOT YET DOCUMENTED.

track_top TODO: NOT YET DOCUMENTED.

track_width TODO: NOT YET DOCUMENTED.

track_height TODO: NOT YET DOCUMENTED.

border_left TODO: NOT YET DOCUMENTED.

border_top TODO: NOT YET DOCUMENTED.

border_right TODO: NOT YET DOCUMENTED.

border_bottom TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_randr_get_panning_cookie_t*. Errors have to be handled when calling the reply function

xcb_randr_get_panning_reply.

If you want to handle errors in the event loop instead, use *xcb_randr_get_panning_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.