

**NAME**

xcb\_res\_query\_client\_pixmap\_bytes -

**SYNOPSIS****#include <xcb/res.h>****Request function**

```
xcb_res_query_client_pixmap_bytes_cookie_t
    xcb_res_query_client_pixmap_bytes(xcb_connection_t *conn, uint32_t xid);
```

**Reply datastructure**

```
typedef struct xcb_res_query_client_pixmap_bytes_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t bytes;
    uint32_t bytes_overflow;
} xcb_res_query_client_pixmap_bytes_reply_t;
```

**Reply function**

```
xcb_res_query_client_pixmap_bytes_reply_t
    *xcb_res_query_client_pixmap_bytes_reply(xcb_connection_t *conn,
    xcb_res_query_client_pixmap_bytes_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn*            The XCB connection to X11.

*xid*             TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type*    The type of this reply, in this case *XCB\_RES\_QUERY\_CLIENT\_PIXMAP\_BYTES*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*         The sequence number of the last request processed by the X11 server.

*length*            The length of the reply, in words (a word is 4 bytes).

xcb\_res\_query\_client\_pixmap\_bytes(3)      XCB Requests      xcb\_res\_query\_client\_pixmap\_bytes(3)

*bytes*      TODO: NOT YET DOCUMENTED.

*bytes\_overflow* TODO: NOT YET DOCUMENTED.

## **DESCRIPTION**

### **RETURN VALUE**

Returns an *xcb\_res\_query\_client\_pixmap\_bytes\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_res\_query\_client\_pixmap\_bytes\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_res\_query\_client\_pixmap\_bytes\_unchecked*. See **xcb-requests(3)** for details.

### **ERRORS**

This request does never generate any errors.

### **SEE ALSO**

### **AUTHOR**

Generated from res.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.