

NAME

xcb_set_screen_saver -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_void_cookie_t xcb_set_screen_saver(xcb_connection_t *conn, int16_t timeout, int16_t interval,  
uint8_t prefer_blanking, uint8_t allow_exposures);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

timeout TODO: NOT YET DOCUMENTED.

interval TODO: NOT YET DOCUMENTED.

prefer_blanking

One of the following values:

XCB_BLANKING_NOT_PREFERRED

TODO: NOT YET DOCUMENTED.

XCB_BLANKING_PREFERRED

TODO: NOT YET DOCUMENTED.

XCB_BLANKING_DEFAULT

TODO: NOT YET DOCUMENTED.

TODO: NOT YET DOCUMENTED.

allow_exposures

One of the following values:

XCB_EXPOSURES_NOT_ALLOWED

TODO: NOT YET DOCUMENTED.

XCB_EXPOSURES_ALLOWED

TODO: NOT YET DOCUMENTED.

XCB_EXPOSURES_DEFAULT

TODO: NOT YET DOCUMENTED.
TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_set_screen_saver_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.