

NAME

`xcb_set_selection_owner` - Sets the owner of a selection

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_void_cookie_t xcb_set_selection_owner(xcb_connection_t *conn, xcb_window_t owner,  
xcb_atom_t selection, xcb_timestamp_t time);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

owner The new owner of the selection.

The special value `XCB_NONE` means that the selection will have no owner.

selection The selection.

time Timestamp to avoid race conditions when running X over the network.

The selection will not be changed if *time* is earlier than the current last-change time of the *selection* or is later than the current X server time. Otherwise, the last-change time is set to the specified time.

The special value `XCB_CURRENT_TIME` will be replaced with the current server time.

DESCRIPTION

Makes *window* the owner of the selection *selection* and updates the last-change time of the specified selection.

TODO: briefly explain what a selection is.

RETURN VALUE

Returns an `xcb_void_cookie_t`. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with `xcb_request_check` instead, use `xcb_set_selection_owner_checked`. See **xcb-requests(3)** for details.

ERRORS*xcb_atom_error_t**selection* does not refer to a valid atom.**SEE ALSO****xcb-requests(3)**, **xcb_set_selection_owner(3)****AUTHOR**Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.