

**NAME**

xcb\_shm\_attach\_fd -

**SYNOPSIS**

```
#include <xcb/shm.h>
```

**Request function**

```
xcb_void_cookie_t xcb_shm_attach_fd(xcb_connection_t *conn, xcb_shm_seg_t shmseg,  
int32_t shm_fd, uint8_t read_only);
```

**REQUEST ARGUMENTS**

|                  |                            |
|------------------|----------------------------|
| <i>conn</i>      | The XCB connection to X11. |
| <i>shmseg</i>    | TODO: NOT YET DOCUMENTED.  |
| <i>shm_fd</i>    | TODO: NOT YET DOCUMENTED.  |
| <i>read_only</i> | TODO: NOT YET DOCUMENTED.  |

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_shm\_attach\_fd\_checked*.  
See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from shm.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.