

**NAME**

xcb\_shm\_completion\_event\_t -

**SYNOPSIS**

```
#include <xcb/shm.h>
```

**Event datastructure**

```
typedef struct xcb_shm_completion_event_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    xcb_drawable_t drawable;
    uint16_t   minor_event;
    uint8_t    major_event;
    uint8_t    pad1;
    xcb_shm_seg_t shmseg;
    uint32_t   offset;
} xcb_shm_completion_event_t;
```

**EVENT FIELDS**

*response\_type* The type of this event, in this case *XCB\_SHM\_COMPLETION*. This field is also present in the *xcb\_generic\_event\_t* and can be used to tell events apart from each other.

*sequence* The sequence number of the last request processed by the X11 server.

*drawable* NOT YET DOCUMENTED.

*minor\_event* NOT YET DOCUMENTED.

*major\_event* NOT YET DOCUMENTED.

*shmseg* NOT YET DOCUMENTED.

*offset* NOT YET DOCUMENTED.

**DESCRIPTION****SEE ALSO****AUTHOR**

Generated from shm.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.