

**NAME**

xcb\_test\_fake\_input -

**SYNOPSIS**

```
#include <xcb/xtest.h>
```

**Request function**

```
xcb_void_cookie_t xcb_test_fake_input(xcb_connection_t *conn, uint8_t type, uint8_t detail,
    uint32_t time, xcb_window_t root, int16_t rootX, int16_t rootY, uint8_t deviceid);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>type</i>	TODO: NOT YET DOCUMENTED.
<i>detail</i>	TODO: NOT YET DOCUMENTED.
<i>time</i>	TODO: NOT YET DOCUMENTED.
<i>root</i>	TODO: NOT YET DOCUMENTED.
<i>rootX</i>	TODO: NOT YET DOCUMENTED.
<i>rootY</i>	TODO: NOT YET DOCUMENTED.
<i>deviceid</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_test\_fake\_input\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from xtest.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.