

NAME

xcb_xkb_bell_notify_event_t -

SYNOPSIS

```
#include <xcb/xkb.h>
```

Event datastructure

```
typedef struct xcb_xkb_bell_notify_event_t {  
    uint8_t      response_type;  
    uint8_t      xkbType;  
    uint16_t     sequence;  
    xcb_timestamp_t time;  
    uint8_t      deviceID;  
    uint8_t      bellClass;  
    uint8_t      bellID;  
    uint8_t      percent;  
    uint16_t     pitch;  
    uint16_t     duration;  
    xcb_atom_t   name;  
    xcb_window_t window;  
    uint8_t      eventOnly;  
    uint8_t      pad0[7];  
} xcb_xkb_bell_notify_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case *XCB_XKB_BELL_NOTIFY*. This field is also present in the *xcb_generic_event_t* and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

xkbType NOT YET DOCUMENTED.

time NOT YET DOCUMENTED.

deviceID NOT YET DOCUMENTED.

bellClass NOT YET DOCUMENTED.

bellID NOT YET DOCUMENTED.

percent NOT YET DOCUMENTED.

pitch NOT YET DOCUMENTED.

duration NOT YET DOCUMENTED.

name NOT YET DOCUMENTED.

window NOT YET DOCUMENTED.

eventOnly NOT YET DOCUMENTED.

DESCRIPTION**SEE ALSO****AUTHOR**

Generated from xcb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.