

NAME

xcb_xkb_use_extension -

SYNOPSIS

```
#include <xcb/xkb.h>
```

Request function

```
xcb_xkb_use_extension_cookie_t xcb_xkb_use_extension(xcb_connection_t *conn,
    uint16_t wantedMajor, uint16_t wantedMinor);
```

Reply datastructure

```
typedef struct xcb_xkb_use_extension_reply_t {
    uint8_t response_type;
    uint8_t supported;
    uint16_t sequence;
    uint32_t length;
    uint16_t serverMajor;
    uint16_t serverMinor;
    uint8_t pad0[20];
} xcb_xkb_use_extension_reply_t;
```

Reply function

```
xcb_xkb_use_extension_reply_t *xcb_xkb_use_extension_reply(xcb_connection_t *conn,
    xcb_xkb_use_extension_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

wantedMajor TODO: NOT YET DOCUMENTED.

wantedMinor TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_XKB_USE_EXTENSION*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

supported TODO: NOT YET DOCUMENTED.

serverMajor TODO: NOT YET DOCUMENTED.

serverMinor TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_xkb_use_extension_cookie_t*. Errors have to be handled when calling the reply function *xcb_xkb_use_extension_reply*.

If you want to handle errors in the event loop instead, use *xcb_xkb_use_extension_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xkb.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.